



SEA SPRAY™ (Hydrolysate)

1000L
Net Contents

Directions for Use

- Shake well or agitate before use.
- Always dilute before application.
- Apply at recommended rates for best results.
- Frequent, lower-dose applications yield the best outcomes.
- Apply using a boom sprayer (we recommend Silvan high probe boomless nozzle kit, or blue coded nozzles or coarser with nozzle filters removed).
- We recommend a 28-day withholding period to allow full absorption and maximize soil and plant benefits.

Application Guidelines & Timing

For all broadacre applications, rates refer to dilution within 100L of water per hectare. Horticultural applications may vary based on application method but typically range between 60–100L of water per hectare.

Pasture

Beef/Sheep: 5–10L twice per year (100mL per Ha mixed spray).
Dairy/High-Input Farming: 15–20L three times per year.

Hay, Silage & Lucerne

15–20L at lockup.
15–20L between cuts.

Cereals & Broadacre

3–5L at first node, flag leaf stage and post-environmental stress.

Citrus

3–6L at 100mm new growth flush.
2 weeks pre-bloom, petal fall, and fruit set.
Repeat every 4 weeks.

Vegetables

3–6L every 2–3 weeks starting 2–3 weeks post-emergence.
Stop application 1 week before harvest.

Avocados

3–6L at the start of regrowth.
2 weeks pre-bloom, 2 weeks post-petal fall.
Continue every 3–4 weeks until harvest.

Transplanting

Dilute 1:200 and apply as a drench to seedling trays 2–5 days before transplanting.

Pre-Planting Ground Spray

Up to 50L/Ha in 100–400L of water, applied to bare ground pre-planting.

For optimal results, follow the recommended application schedule and dosage.

NOTE: PRODUCT ODOUR

Due to the rich, organic nature of our fish hydrolysate, a strong odour may be present during mixing and application. This is a normal characteristic of a high quality, biologically active product.

SAFETY & HANDLING

For personal protection and comfort, we recommend wearing gloves and a suitable mask when mixing and spreading the product.

SAFETY: Avoid contact with skin and eyes. Avoid breathing mist, vapour or spray. Wear overalls, safety shoes, impervious gloves and safety glasses. Use only in well ventilated areas. Wash hands after use. Keep containers closed when not in use.

FIRE: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

SPILLS & LEAKS: Clear area of all unprotected personnel. Slippery when spilt. Wear protective equipment. Absorb with sand or soil. Collect and seal in properly labelled drums. Refer to State/Territory Land Waste Management Authority for disposal.

FIRST AID: If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 131 126; New Zealand 0800 764 766). If medical advice is needed, have product container or label at hand.

SWALLOWED: If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice. **EYE:** If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor. **SKIN:** If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If irritation occurs seek medical advice. **INHALED:** Remove from contaminated area. Seek medical advice.